

# Drug Facts

## Active Ingredient (in each lozenge)

Menthol 5mg. . . . . Antitussive (cough suppressant) /oral anesthetic

## Purposes

## Uses

Temporarily relieves:

- cough due to minor throat and bronchial irritation occurring with the common cold or inhaled irritants.
- occasional minor irritation, pain, sore mouth, and sore throat.

## Warnings

**Sore throat warning** If sore throat is severe, persists more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.

## Ask a doctor before use if you have

- persistent or chronic cough as occurs with smoking, asthma or emphysema.
- cough that occurs with excessive phlegm (mucus).

## Stop use and ask a doctor if

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- sore mouth symptoms do not improve in 7 days.

**If pregnant or breastfeeding**, ask a health professional before use.  
**Keep out of reach of children.**

## Directions

- adults and children 2 years and over: dissolve lozenge slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor.
- children under 2 years of age: ask a doctor.

**Inactive Ingredients** beta carotene (coloring), glucose syrup, honey, lactic acid, lemon oil (flavoring), natural flavor, sodium lactate, sugar, water.

**To report serious adverse events, call: 1-866-205-1185**